

Quality • Craftmanship • Style  
Glyngary - The natural choice

Uniclass L41:P511	EPIC D1:X52/3
CI/SfB (31)	Xi3



Window Energy Rating	
GLYNGARY KM 566095	
Flush Sash-Shootbolt (Softwood)	
A	A
B	
C	
D	
E	
F	
G	
Efficiency rating (kWh/m <sup>2</sup> /year) Energy rating verified by BSI and based on a 10 standard window. Heat energy consumption for the product will depend on the building, the local climate and interior temperature.	+2 UK
Country:	
Thermal Transmittance Solar Factor Air Leakage	1.4 W/m <sup>2</sup> K 0.40 0 W/m <sup>3</sup> /s
www.Kitemark.com	
Approved Document L1B 4.2.2	

**Glyngary**<sup>®</sup>

External Joinery Products

www.glyngary.co.uk • www.glyngaryhardware.co.uk

Incorporating our  
Oak Range

# welcome

## Your choice

Welcome to our latest brochure showing Glyngary's extensive range of top quality external joinery products using quality timbers including oak, sapele, iroko and redwood.

After listening to our customers, we understand that sourcing quality timber products can be problematic. Choosing the best company for the job isn't easy with many unable to deliver on the sales promises they make. Slow response times, unreliability and poor product quality are experienced all too often whilst quality, service and value for money can rarely be relied upon from one firm alone.

Glyngary is different. A family owned firm since 1985, we pride ourselves on our ability to consistently deliver the quality, service and value customers are looking for, each and every time. All products are manufactured in our own well equipped and modern facilities by our fully trained craftsmen workforce who appreciate that the level of workmanship put in reflects on both their own and Glyngary's reputation. Our passion for customer

service is reflected throughout every level of our organisation.

Although small in comparison to others, our fully integrated sales office ensures that every customer enquiry is dealt with effectively. Whether it's a quote, delivery lead time, product advice, bespoke or general enquiry, you can be assured that every call will be dealt with efficiently. At Glyngary we never forget the vital role customers play in the success of our business and yours.

We welcome visitors to take a tour of our facilities and showroom. For those who cannot visit we offer a CD-ROM 'Factory Tour', please telephone for a copy.

We hope that you enjoy looking through our brochure and find the products you are looking for. Alternatively we provide a bespoke service where the possibilities are endless in terms of style and design, please contact us for more details.

Glyn  
Glyn Yates  
Director



Glyn Yates  
Sales & Marketing Director

Gary Yates  
Production & Technical Director

oak

iroko


redwood

sapele

# contents

stormproof sash  
 flush sash  
 variety of joinery items  
 projects  
 oak range

1  
 2  
 3-7  
 8-10  
 11-13



**Window Energy Rating**  
 GLYNGARY  
 KIM 560095  
**Stormproof-Peestay (Hardwood)**

A	A
B	
C	
D	
E	
F	
G	

Efficiency rating (kWh/m<sup>2</sup>/year)  
 Energy rating certified by BRE and based on a UK standard window. Final energy consumption for this product will depend on the building, the local climate and interior temperature.

Country: **+1 UK**

Thermal Transmittance	1.5 W/m <sup>2</sup> .K
Solar Factor	0.45
Air Leakage	0 W/m <sup>3</sup> .K

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BRE.  
 Approved Document L1B 4.22

**Window Energy Rating**  
 GLYNGARY  
 KIM 560095  
**Stormproof-Shootbolt (Hardwood)**

A	B
B	
C	
D	
E	
F	
G	

Efficiency rating (kWh/m<sup>2</sup>/year)  
 Energy rating certified by BRE and based on a UK standard window. Final energy consumption for this product will depend on the building, the local climate and interior temperature.

Country: **-6 UK**

Thermal Transmittance	1.5 W/m <sup>2</sup> .K
Solar Factor	0.45
Air Leakage	0 W/m <sup>3</sup> .K

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BRE.  
 Approved Document L1B 4.22

**Window Energy Rating**  
 GLYNGARY  
 KIM 560095  
**Flush Sash-Peestay (Hardwood)**

A	A
B	
C	
D	
E	
F	
G	

Efficiency rating (kWh/m<sup>2</sup>/year)  
 Energy rating certified by BRE and based on a UK standard window. Final energy consumption for this product will depend on the building, the local climate and interior temperature.

Country: **0 UK**

Thermal Transmittance	1.5 W/m <sup>2</sup> .K
Solar Factor	0.45
Air Leakage	0 W/m <sup>3</sup> .K

[www.Kitemark.com](http://www.Kitemark.com)  
 Kitemark and the Kitemark logo are registered trademarks of BRE.  
 Approved Document L1B 4.22

Glyngary's Energy Efficient windows consist of highly insulated double glazed units allowing the maximum amount of solar energy to pass through the glass into the room providing free solar heat gain. The advanced glass coating then reflects the heat back into the room rather than letting it escape.

Glyngary has achieved 15 WER ratings so far, and we are continuing to certify products. All 15 products are either 'A' or 'B' rated, which is most impressive, when a 'C' is considered as compliant.

# production



passion craftsmanship  
dedication quality



added value choice  
reliability knowledge

# stormproof sash



1



# flush sash



2





## bespoke bays

Single sided 90° bay window  
with 9mm antique lead.

3



## door sets & screens

Entrance door and double  
side screen with marginal  
bars (astragals) in door.



multipoint locking door



4



special windows

Fixed window with multi-Georgian bars.

## french doors

Outward opening French doors incorporating multi-point locking.



5



flush sashes



stormproof  
sashes

circular pivot  
windows




6



arched head  
French doors

## tilt and turn



External

Internal

Internal

## fully reversible

7




External

Internal

Internal

## different RAL examples




All products can be painted to the colour of your choice. Simply provide us with the relevant RAL number and we will do the rest.

# gallery

some of our many projects





9

distinctive      beautify      kerb appeal  
elegant      enhances  
refined      transforms  
improves      classic



from mature properties to  
new properties, Glyngary products  
add real value



tudor  
headed  
window

**11** alternative mould  
applications

Stop chamfer



tudor  
headed  
door

Raised and fielded panels.



Mason's mitre



The  
**Oak**  
Range





## stable door

- 45%/55% split
- 5 lever sash lock to upper leaf
- 5 lever dead lock to lower leaf.

## bespoke brackets



12

## your choice

Whatever style of timber window, door or gate you want, we can design it. Alternatively choose from our existing range of products.



yard gates



13

entrance gates



garden gates



